ABBREVIATIONS (For complete list of Symbols and Abbreviations, see Chart No. 1.) NOAA WEATHER RADIO BROADCASTS Mercator Projection TIDAL INFORMATION The NOAA Weather Radio station listed Scale 1:40,000 at Lat.41°50' AERO aeronautical R TR radio tower below provides continuous weather broadcasts Mo morse code The reception range is typically 20 to 40 Rot rotating B black lso isophase OBSC obscured s seconds nautical miles from the antenna site, but can be North American Datum of 1983 as much as 100 nautical miles for stations at LT HO lighthouse Oc occulting SEC sector (World Geodetic System 1984) M nautical mile St M statute miles THE NATION'S CHARTMAKER SINCE 1807 DIA diaphone m minutes Q quick VQ very quick KEC-73 162.550 MHz Hyannis, MA Dashes (- - -) located in datum columns indicate unavailable datum values for a tide station. Real-time water levels SOUNDINGS IN FEET tide predictions, and tidal current predictions are available on the Internet from http://tidesandcurrents.noaa.gov FI flashing Mkr marker Ra Ref radar reflector WHIS whistle AT MEAN LOWER LOW WATER UNITED STATES - EAST COAST R Bn radiobeacon CAUTION Bottom characteristics Temporary changes or defects in aids to AUTHORITIES Additional information can be obtained at nauticalcharts.noaa.gov. **MASSACHUSETTS** Blds boulders gy gray navigation are not indicated on this chart. See Hydrography and topography by the National Ocean Service, Coast bk broken Rk rock Local Notice to Mariners. Survey, with additional data from the Corps of Engineers, Geological S sand During some winter months or when endan-Cy clay sy sticky HEIGHTS Survey, and U.S. Coast Guard. gered by ice, certain aids to navigation are Miscellaneous Heights in feet above Mean High Water. AUTH authorized Obstn obstruction PD position doubtful Subm submerged WELLFLEET HARBOR CAUTION AIDS TO NAVIGATION ED existence doubtful PA position approximate see U.S. Coast Guard Light List. Rep reported SUPPLEMENTAL INFORMATION Consult U.S. Coast Guard Light List for Improved channels shown by broken lines are _21_ Wreck, rock, obstruction, or shoal swept clear to the depth indicated. supplemental information concerning aids to subject to shoaling, particularly at the edges. Consult U.S. Coast Pilot 1 for important supplemental information. (2) Rocks that cover and uncover, with heights in feet above datum of soundings SOUNDINGS IN FEET CONTINUED ON CHART 13249 32 SCALE 1:40,000 NO-DISCHARGE ZONE Nautical Miles (see note Z) Navigation regulations are published in Chapter 2, U.S. past Pilot 1. Additions or revisions to Chapter 2 are pub-HORIZONTAL DATUM The horizontal reference datum of this chart is North American Datum of 1983 (NAD 83), which to the World Geodetic System 1984 (WGS 84). Geographic positions referred to the North American Datum of 1927 must be corrected an average of 0.391" northward and 1.932" eastward to agree with this chart. Great Island RIGHT WHALE CRITICAL HABITAT (see note) RESTRICTED AREA 32 (50 CFR 224.105; see note B) CAUTION The channel into Wellfleet Harbor 33 NO-DISCHARGE ZONE ROCK HARBOR CREEK The controlling depth was 3 feet at MLLW, from the entrance channel in approximate position 41°47'59" N., 70°00'30" W., to a point in approximate position 41°48'04" N., 70°00'20" W. RESTRICTED AREA (50 CFR 224.105; see note B) RIGHT WHALE CRITICAL HABITAT 37 # POLLUTION REPORTS Report all spills of oil and hazardous substances to the National Response Center via Coast Guard facility if telephone communication is impossible (33 CFR 153). The outlined areas represent the limits of the most recent hydrographic survey information that has been evaluated for charting. Surveys have been banded in this diagram by date and type of survey. Channels maintained by the U.S. Army Corps of Engineers are periodically resurveyed and are not shown on this diagram. Refer to Chapter 1, <u>United States Coast Pilot</u>. SPECIAL ANCHORAGE AREA All the water in Sesuit Harbor south of jetty entrance 110.37. (see note A) A 1990-2010 NOS Surveys full bottom coverage
B3 1940-1969 NOS Surveys partial bottom coverage B4 1900-1939 NOS Surveys partial bottom covers RIGHT WHALE CRITICAL HABITAT (precautionary area: 50 CFR 226.203, 224.103c; see note A) It is illegal to approach any right whale anywhere closer than 500 yards. Nobscusset RACING BUOYS This chart falls entirely within the limits of a No-Discharge Zone (NDZ). Under the Clean Water Act, Section 312, all vessels operating within a No-Discharge Zone (NDZ) are Racing buoys within the limits of this chart are not shown hereon. Information may be

RADAR REFLECTORS

floating aids to navigation. Individual radar reflector identification on these aids has been

08' 45" 30" 15" **07**' 50"

COLREGS, 80.135 (see note A) International Regulations for Preventing Collisions at Sea, 1972.
The entire area of this chart falls seaward of the COLREGS Demarcation Line.

70° 10'

CAUTION This chart has been corrected from the Notice to Mariners (NM) published weekly by the National Geospatial-Intelligence Agency and the Local Notice to Mariners (LNM) issued periodically by each U.S. Coast Guard district to the dates shown in

the lower left hand corner. Chart updates corrected from Notice to Mariners published after the dates shown in the lower left

Radar reflectors have been placed on many

obtained from the U.S. Coast Guard District

Offices as racing and other private buovs are

not all listed in the U.S. Coast Guard Light List.

05'

NOAA encourages users to submit inquiries, discrepancies or comments about this chart at http://www.nauticalcharts.noaa.gov/staff/contact.htm.

Published at Washington, D.C.
U.S. DEPARTMENT OF COMMERCE

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

NATIONAL OCEAN SERVICE

COAST SURVEY

completely prohibited from discharging any sewage, treated or untreated, into the waters. All vessels with an installed

marine sanitation device (MSD) that are navigating, moored anchored, or docked within a NDZ must have the MSD disabled to prevent the overboard discharge of sewage (treated or untreated) or install a holding tank. Regulations

for the NDZ are contained in the U.S. Coast Pilot. Additional information concerning the regulations and requirements may be obtained from the Environmental

Protection Agency (EPA) web site: https://www.epa.gov/vessels-marinas-and-ports.

SOUNDINGS IN FEET

70°10'

599.1 X 520.7 mm

Wellfleet Harbor

SOUNDINGS IN FEET - SCALE 1:40,000

41° 45'

13250

SESUIT HARBOR

SCALE 1:10,000

9th Ed., Dec. 2010. Last Correction: 1/31/2023. Cleared through: LNM: 2923 (7/18/2023), NM: 3023 (7/29/2023), CHS: 0623 (6/30/2023)

13250

ω

N

50

hand corner are available at nauticalcharts.noaa.gov.