



UNITED STATES -- GREAT LAKES

MICHIGAN - OHIO

NAUTICAL CHART 14842

SOUTH SHORE OF LAKE ERIE

From Port Clinton to Sandusky, Ohio
including Sandusky Bay

Published at Washington, D.C.
U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SERVICE
COAST SURVEY

CAUTION


This chart has been corrected from the Notice to Mariners (NM) published weekly by the National Geospatial-Intelligence Agency and the Local Notice to Mariners (LNM) issued periodically by each U.S. Coast Guard district to the dates shown in the lower left hand corner. Chart updates corrected from Notice to Mariners published after the dates shown in the lower left hand corner are available at nauticalcharts.noaa.gov.

NOAA encourages users to submit inquiries, discrepancies or comments about this chart at <http://www.nauticalcharts.noaa.gov/staff/contact.htm>.

14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.



INDEX TO SHEETS
OF
SOUTH SHORE OF LAKE ERIE
FROM PORT CLINTON TO SANDUSKY, OHIO
INCLUDING SANDUSKY BAY



Polyconic Projection
North American Datum of 1983
(World Geodetic System 1984)

NOTES

PLANE OF REFERENCE OF THIS CHART (Low Water Datum).....569.2 ft.
Referred to mean water level at Rimouski, Quebec, International Great Lakes Datum (1985).
AIDS TO NAVIGATION. Consult U.S. Coast Guard Light List for supplemental information concerning aids to navigation.
SYMBOLS AND ABBREVIATIONS. For complete list of symbols and abbreviations see Chart No. 1
BRIDGE AND OVERHEAD CABLE CLEARANCES. When the water surface is above Low Water Datum, bridge and overhead clearances are reduced correspondingly. For clearances see U.S. Coast Pilot 6.
AUTHORITIES. Hydrography and topography by the National Ocean Service, Coast Survey, with additional data from the Corps of Engineers, Geological Survey, U.S. Coast Guard, and Canadian authorities.

Sailing courses and limits indicated in magenta are recommended by the Lake Carriers Association and the Canadian Shipowners Association.

SUPPLEMENTAL INFORMATION
Consult U.S. Coast Pilot 6 for important supplemental information.
Ⓟ Pump-out facilities

NOAA WEATHER RADIO BROADCASTS
The NOAA Weather Radio stations listed below provide continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations.

Toledo, OH	WXL-51	162.550 MHz
Cleveland, OH	KHB-59	162.550 MHz
Detroit, MI	KEC-63	162.550 MHz
Sandusky, OH	KHB-97	162.400 MHz
Akron, OH	KDO-94	162.400 MHz
Grafton, OH	WNG-698	162.500 MHz


NOTE C
Mariners are warned that numerous uncharted stakes and fishing structures, some submerged, may exist in the area of this chart. Such structures are not charted unless known to be permanent.

NOTE A
Navigation regulations are published in Chapter 2, U.S. Coast Pilot 6. Additions or revisions to Chapter 2 are published in the Notice to Mariners. Information concerning the regulations may be obtained at the Office of the Commander, 9th Coast Guard District in Cleveland, Ohio or at the Office of the District Engineer, Corps of Engineers in Buffalo, New York.
Refer to charted regulation section numbers.

NOTE Z
NO-DISCHARGE ZONE, 40 CFR 140
Michigan waters of Lakes Michigan, Huron, Superior, Erie and St. Clair, all waterways connected thereto, and all inland lakes are designated as a No-Discharge Zone (NDZ). Under the Clean Water Act, Section 312, all vessels operating within a No-Discharge Zone (NDZ) are completely prohibited from discharging any sewage, treated or untreated, into the waters. Commercial vessel sewage shall include graywater. All vessels with an installed marine sanitation device (MSD) that are navigating, moored, anchored, or docked within a NDZ must have the MSD disabled to prevent the overboard discharge of sewage (treated or untreated) or install a holding tank. Regulations for the NDZ are contained in the U.S. Coast Pilot. Additional information concerning the regulations and requirements may be obtained from the Environmental Protection Agency (EPA) web site: http://www.epa.gov/owow/oceans/regulatory/vessel_sewage/.

CAUTION
Limitations on the use of radio signals as aids to marine navigation can be found in the U.S. Coast Guard Light Lists and National Geospatial-Intelligence Agency Publication 117.
Radio direction-finder bearings to commercial broadcasting stations are subject to error and should be used with caution.
Station positions are shown thus:
Ⓞ (Accurate location) Ⓟ (Approximate location)

LAKE ERIE



Low Water Datum, which is the plane of reference for the levels shown on the above hydrograph, is also the plane of reference for the charted depths. If the lake level is above or below Low Water Datum, the existing depths are correspondingly greater or lesser than the charted depths.

14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).


SOUTH SHORE OF LAKE ERIE
PORT CLINTON TO SANDUSKY

Scale 1:20,000

SOUNDINGS IN FEET

FEET

STATUTE MILES



NO-DISCHARGE ZONE
(see note Z)

P E R R Y C O V E

NO-DISCHARGE ZONE
(see note Z)

AERO
Rot W & G
PA

Erie Ottawa International Airport

PORT CLINTON

⊙ R T
(3 VERT LT


2

14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
 LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

17th Ed., Nov. 2018. Last Correction: 7/12/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

17th Ed., Nov. 2018. Last Correction: 7/12/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842 CONTINUED ON 7

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LMN: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).





14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).






14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).



INDEX TO SHEETS
OF
SANDUSKY RIVER
FROM FREMONT TO SQUAW ISLAND
AND
MUDDY CREEK BAY

This chart is canceled. No new editions will be issued.





14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

JOINS 14

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.


To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).



17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




18

14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

17th Ed, Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).



14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




SOUTH SHORE OF LAKE ERIE

MUDDY CREEK BAY


Scale 1:10,000

SOUNDINGS IN FEET

FEET



STATUTE MILE



41°28'

50'

40'

30'

20'

41°27'

83°03'

50°

40°

30°

20°

10°

83°02'

50'

83°01'


41°27'

24

14842


17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.



17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.



INDEX TO SHEETS
OF
ISLANDS
IN LAKE ERIE
AND
HARBOR PLANS

SANDUSKY HARBOR PROJECT DEPTHS (see note)	
NAME OF CHANNEL	PROJECT DEPTH LWD (FEET)
MOSELEY CHANNEL	26
MOSELEY ENTRANCE CHANNEL	26
UPPER STRAIGHT CHANNEL	25
BAY CHANNEL	25
TURNING BASIN	24
DOCK CHANNEL	22
LOWER STRAIGHT CHANNEL	21


PROJECT DEPTHS
Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at <http://navigation.usace.army.mil/Survey/Hydro>.

14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.


To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).



17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).



14842

17th Ed., Nov. 2018. Last Correction: 9/13/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).


The area bounded by screen tint is a military exercise area controlled by the Federal Aviation Administration. Also, DANGER ZONES (CFR 334.850, note A), which are used for ground based exercises, exist within the screened area. Mariners should use caution and should consult both U.S. Coast Pilot 6 and the U.S. Coast Guard Local Notice to Mariners.



ISLANDS IN LAKE ERIE

Scale 1:80,000


SOUNDINGS IN FEET



MILITARY EXERCISE AREA
(see note B)


DANGER ZONE
334.850 (see note A)

DANGER ZONE
334.850 (see note A)



Dumping Ground
Least Depth 30 feet rep

This chart is canceled. No new editions will be issued.





14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

17th Ed., Nov. 2018. Last Correction: 7/12/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).








14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).



17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)





This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).



This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).




14842

17th Ed., Nov. 2018. Last Correction: 4/3/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).



14842

17th Ed., Nov. 2018. Last Correction: 6/7/2023. Cleared through:
LNM: 3823 (9/19/2023), NM: 3923 (9/30/2023), CHS: 0823 (8/25/2023)

This chart is canceled. No new editions will be issued.

To ensure that this chart was printed at the proper scale, the line below should measure six inches (152 millimeters).